

## Stage 2 Disinfectants and Disinfection Byproducts Rule Reporting Spreadsheet

**Water System:** DC Water  
**PWSID:** DC0000002  
**Report Period:** 3rd Quarter 2019

- Steps: 1. Use data from three previous quarters  
 2. Enter sample date and results for current quarter of monitoring in the blue column.  
 3. Summarize results for the quarter. The number of samples should include the number of any repeat samples.

### Total Trihalomethanes (TTHM)

Reported as mg/L or ppm

Number of TTHM samples taken per quarter: 12  
 Operational Evaluation Levels exceeded (Yes/No): No  
 TTHM MCL violations: No

		Three Most Recent Quarters of Sampling Results*			Current Quarter		
Scheduled Sample Month		Nov 2018	Feb 2019	May 2019	Aug 2019		
Actual Sample Date:							
Location ID	Location Name					Operational Evaluation Level (OEL)	Locational Running Annual Average (LRAA)
1H-9	1700 EAST CAPITOL ST NE	0.033	0.014	0.067	0.075	0.058	0.047
1H-23/1H-24	407 8th St NE	0.040	0.011	0.048	0.064	0.047	0.041
2H-1 BKJV	1731 BUNKER HILL RD NE	0.035	0.012	0.063	0.073	0.055	0.046
2H-27	3101 Rhode Island Ave, NE	0.040	0.012	0.063	0.07	0.054	0.046
3H-4 BKJV	1640 KALMIA RD NW	0.032	0.014	0.052	0.061	0.047	0.040
3H-13	120 KENNEDY ST NW	0.034	0.012	0.057	0.061	0.048	0.041
4H-8	5608 BROAD BRANCH RD NW	0.025	0.012	0.042	0.059	0.043	0.035
A1H-3 BKJV	420 56TH ST NE	0.037	0.014	0.065	0.054	0.047	0.043
A1H-8/A2H-8*	3125 MARTIN LUTHER KING AVE SE	0.032	0.013	0.047	0.062	0.046	0.039
L-24 DBPR	1350 49TH ST NE	0.035	0.014	0.056	0.067	0.051	0.043
L-4	550 WATER ST SW	0.027	0.013	0.044	0.067	0.048	0.038
L-12	5000 OVERLOOK AVE SW	0.031	0.013	0.047	0.062	0.046	0.038
*Note: (a) 1H-24 (Jacob's Coffee House, 401 8th St NE) replaced 1H-23 beginning February 2019 (b) Location ID for A1H-8 (My 3 Sons Barber Shop, 3125 MLK Ave SE) was changed to A2H-8 beginning February 2018, the address remain same						If TTHM OEL is > 0.080, perform Operational Evaluation.	If TTHM LRAA is > 0.080, MCL violation occurred.

### Five Haloacetic Acids (HAA5)

Reported as mg/L or ppm

Number of HAA5 samples taken per quarter: 12  
 Operational Evaluation Levels exceeded (Yes/No): No  
 HAA5 MCL violations: No

		Three Most Recent Quarters of Sampling Results*			Current Quarter		
Scheduled Sample Month		Nov 2018	Feb 2019	May 2019	Aug-19		
Actual Sample Date:							
Location ID	Location Name					Operational Evaluation Level (OEL)	Locational Running Annual Average (LRAA)
1H-9	1700 EAST CAPITOL ST NE	0.028	0.009	0.039	0.038	0.031	0.028
1H-23/1H-24*	401 8th St NE	0.030	0.008	0.030	0.034	0.027	0.026
2H-1 BKJV	1731 BUNKER HILL RD NE	0.021	0.008	0.038	0.037	0.030	0.026
2H-27	3101 Rhode Island Ave, NE	0.032	0.009	0.037	0.037	0.030	0.029
3H-4 BKJV	1640 KALMIA RD NW	0.013	0.009	0.035	0.016	0.019	0.018
3H-13	120 KENNEDY ST NW	0.034	0.008	0.038	0.038	0.031	0.030
4H-8	5608 BROAD BRANCH RD NW	0.023	0.009	0.032	0.029	0.025	0.023
A1H-3 BKJV	420 56TH ST NE	0.018	0.009	0.042	0.029	0.027	0.024
A1H-8/A2H-8*	3125 MARTIN LUTHER KING AVE SE	0.031	0.010	0.033	0.036	0.029	0.027
L-24 DBPR	1350 49TH ST NE	0.026	0.010	0.042	0.012	0.019	0.022
L-4	550 WATER ST SW	0.025	0.010	0.034	0.037	0.029	0.026
L-12	5000 OVERLOOK AVE SW	0.029	0.008	0.034	0.033	0.027	0.026
*Note: (a) 1H-24 (Jacob's Coffee House, 401 8th St NE) replaced 1H-23 beginning February 2019 (b) Location ID for A1H-8 (My 3 Sons Barber Shop, 3125 MLK Ave SE) was changed to A2H-8 beginning February 2018, the address remain same						If HAA5 OEL is > 0.060, perform Operational Evaluation.	If HAA5 LRAA is > 0.060, MCL violation occurred.